## NSN 3020-01-025-9898

Spur Gear Sector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-025-9898 **Attachment Method:** Mounting hole **Teeth Quantity:** 21 **Bore Style:** 10a w/ keyway both ends Pitch Radius: 4.1150 inches **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end **Mounting Hole Thread Size:** 0.250 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Tooth Form:** Standard **Pressure Angle:** 14.5000 degrees **Distance Between Body Face And Protruding Hub End:** 0.500 inches first end Face Width: 0.750 inches **Bore Diameter:** 0.750 inches both ends **Keyway Width:** 0.250 inches both ends **Distance From Bore Center To Keyway Bottom:** 0.450 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 1.540 inches first end **Outside Radius:** 3.990 inches Arc Length: 8.625 inches Material: Copper alloy Style Designator: Protruding hubs

N/a

Shelf Life:

## NSN 3020-01-025-9898

Spur Gear Sector - Page 2 of 2



| ш | ın | 10 | <i>(</i> )+ | Measure: |  |
|---|----|----|-------------|----------|--|
|   |    |    |             |          |  |

--

Demilitarization:

No

Fiig:

A27300