

View Online at <https://aerobasegroup.com/nsn/3020-01-026-4021>

Outside Diameter:

3.979 inches

Overall Length:

1.250 inches

Keyway Width:

Between 0.500 inches and 0.502 inches

Bore Diameter:

1.750 inches

Bore Length:

1.250 inches

Distance From Center Of Bore To Bottom Of Keyway:

1.111 inches

Pitch Diameter:

3.607 inches

Face Width:

0.459 inches

Design Form:

Plain

Bore Type:

Straight

Metallic Hardness Rating And Location:

25.0 rockwell c body and 30.0 rockwell c body

Counterbore Feature:

Not included

Keying Facility:

Included

Keying Facility Type:

Keyway

Securing Method:

Key

Lightening Hole:

Not included

Protruding Hub Characteristic:

Grooved

Groove/step Location:

Aa end

Securing Location:

Both ends

Belt/chain/film Size For Which Designed:

Roller chain

Roller Chain Pitch Type For Which Designed:

Single pitch

Teeth Row Quantity:

1

Teeth Quantity Per Row:

15

Asa Standard Chain Number:

60

Hardness Rating Test Method:

Rockwell

Teeth Hardness Rating:

Between 25.0 rockwell c and 30.0 rockwell c

Bore Bearing:

Not included

Hub External Keyway:

Not included

Tooth Pitch:

0.750 inches

First End Groove Diameter And Location:

2.125 inches aa end

First End Groove Width And Location:

0.290 inches aa end

First End Length From Groove To End And Location:

0.300 inches aa end

Hub End Outside Diameter And Location:

2.750 inches aa end

Distance From Outside Flange/rim To Hub End And Location:

0.791 inches aa end

Material:

Steel, sae 4140

Material:

Steel comp 4140

Material Specification:

Sae 4140 assn standard single material response

Quantity:

1

Surface Treatment:

Phosphate

Style Designator:

Plain

Surface Treatment:

Phosphate, mil-p-16232 type z class 4e and lubricant, solid film, mil-l-8937 form b

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T353-c