NSN 3020-01-026-7889

Spur Gear Sector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-026-7889

Attachment Method:
Mounting hole
Teeth Quantity:
160
Bore Style:
W/counterbore both ends
Pitch Radius:
6.6667 inches
Hardness Rating:
89.0 rockwell superficial 15-n teeth and 91.5 rockwell superficial 15-n teeth
Mounting Hole Type And Quantity:
9 plain axially through body, first end and 2 countersunk axially through body, first end
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
6.188 inches first end
Face Width:
1.125 inches
Bore Diameter:
4.125 inches both ends
Counterbore Depth:
0.500 inches first end
Counterbore Diameter:
5.625 inches first end
Hub Style Designator:
Plain first end
Hub Diameter:
6.188 inches first end
Outside Radius:
6.737 inches
Mounting Hole Diameter:
0.281 inches axially through body, first end and 0.312 inches axially through body, first end
Bolt Hole Circle Diameter:
6.750 inches axially through body, first end and 6.625 inches axially through body, first end
Material:
Steel comp e9310
Material Specification:
Ams6260 assn standard single material response
Shelf Life:
N/a
Unit Of Measure:

NSN 3020-01-026-7889

Spur Gear Sector - Page 2 of 2



Demilitarization:

No

Fiig:

A27300