# NSN 3020-01-028-5325

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-028-5325

# Body Style:

Plain, solid

#### **Attachment Method:**

Mounting hole

#### Pitch Diameter:

53.0 millimeters

#### **Teeth Quantity:**

156

#### Bore Style:

Plain both ends

#### Mounting Hole Type And Quantity:

1 plain axially through body, first end

#### Outside Diameter:

53.509 millimeters

#### Tooth Form:

Standard

#### **Pressure Angle:**

20.0000 degrees

#### Distance Between Body Face And Protruding Hub End:

6.0 millimeters first end

# Face Width:

3.0 millimeters

## Bore Diameter:

4.754 millimeters both ends

#### Hub Style Designator:

Plain first end

## Hub Diameter:

7.0 millimeters first end

#### Mounting Hole Diameter:

3.38 millimeters axially through body, first end

#### **Bolt Hole Circle Diameter:**

46.0 millimeters axially through body, first end

#### Material:

Aluminum alloy 2024

#### **Material Specification:**

Qq-a-225/6, t6 federal specification single material response

## Surface Treatment:

Anodize

#### Surface Treatment Specification:

Mil-a-8625, type 1, class 1 military specification single treatment response

#### Style Designator:

Protruding hub

# NSN 3020-01-028-5325

Spur Gear - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A27300

# Mil-std (military Standard):

Mil-a-8625 spec.

