# NSN 3020-01-028-9348

Spur Gear - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3020-01-028-9348

#### **Body Style:**

Webbed, offset, solid

**Attachment Method:** 

Mounting hole

#### **Pitch Diameter:**

110.0000 millimeters

## **Teeth Quantity:**

#### 34

Mounting Hole Thread Series Designator:

#### Unc axially through body, first end

## Mounting Hole Thready Qty Per Inch (tpi):

20 axially through body, first end

#### Mounting Hole Type And Quantity:

2 threaded axially through body, first end

#### Nominallength:

9.0 millimeters

#### Tooth Form:

Standard

## Pressure Angle:

20.0000 degrees

#### Hub Style Designator:

Plain both ends

# **Special Features:**

Two oblong recesses 36.000 mm lg, 16.500 mm w, on gear body 180 degrees apart adjacent to 2nd end

#### Material:

Steel comp 304

# Material Specification:

Qq-s-763, class304 federal specification single material response

#### Surface Treatment:

Passivate

# Surface Treatment Specification:

Qq-p-35, type 2 federal specification single treatment response

#### Style Designator:

One protruding hub, one flush hub

#### Shelf Life:

N/a

## Unit Of Measure:

---

# Demilitarization:

No

Fiig:

A27300