# NSN 3020-01-029-2890

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-029-2890

#### **Body Style:**

Webbed, offset, solid

## **Attachment Method:**

Snap ring

# **Pitch Diameter:**

107.95 millimeters

# **Teeth Quantity:**

34

# Bore Style:

Plain both ends

### **Outside Diameter:**

116.34 millimeters

#### Tooth Form:

Standard

## Pressure Angle:

20.0000 degrees

# Distance Between Body Face And Protruding Hub End:

5.3 millimeters second end

#### Face Width:

5.0 millimeters

# Bore Diameter:

25.4 millimeters both ends

# Hub Style Designator:

Plain second end

### Hub Diameter:

32.0 millimeters second end

### First Groove Width:

1.4 millimeters first end

### First Groove Diameter:

0.075 millimeters first end

### Distance From End To First Groove:

2.3 millimeters first end

### **Special Features:**

Contains two elongated holes in side of gear body

# Material:

Steel

# Material Specification:

Qq-s-764 federal specification single material response

# Surface Treatment:

Passivate

# Surface Treatment Specification:

Qq-p-35, type 2 federal specification single treatment response

# NSN 3020-01-029-2890

Spur Gear - Page 2 of 2

Style Designator:

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A27300

