NSN 3020-01-029-4255

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-029-4255

Outside Diameter:
6.147 inches
Overall Length:
1.250 inches
Thread Size:
3/8-16
Bore Diameter:
1.500 inches
Bore Length:
1.250 inches
Pitch Diameter:
5.746 inches
Securing Hole Quantity:
1
Face Width:
0.459 inches
Design Form:
Plain
Bore Type:
Straight
Metallic Hardness Rating And Location:
25.0 rockwell c body and 30.0 rockwell c body
Counterbore Feature:
Not included
Hole Location:
On hub
Keying Facility:
Not included
Securing Method:
Threaded hole
Lightening Hole:
Not included
Protruding Hub Characteristic:
Plain
Securing Location:
Aa end
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:

NSN 3020-01-029-4255 Sprocket Wheel - Page 2 of 2



Teeth Quantity Per Row:
24
Asa Standard Chain Number:
60
Hardness Rating Test Method:
Rockwell
Teeth Hardness Rating:
Between 25.0 rockwell c and 30.0 rockwell c
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.750 inches
Hub End Outside Diameter And Location:
3.310 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.791 inches aa end
Material:
Steel, sae 4140
Material:
Steel comp 4140
Material Specification:
Sae 4140 assn standard single material response
Surface Treatment:
Phosphate
Style Designator:
Plain
Surface Treatment:
Phosphate, mil-p-16232 type z class 4e and lubricant, solid film, mil-l-8937 form b
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c