## NSN 3020-01-030-2470

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-030-2470 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.4583 inches **Teeth Quantity:** 22 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through face **Mounting Hole Thread Size:** 0.112 inches transversely through face **Mounting Hole Type And Quantity:** 1 plain transversely through face and 2 threaded transversely through face **Outside Diameter:** 0.500 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Face Width:** 0.375 inches **Bore Diameter:** 0.250 inches both ends **Mounting Hole Diameter:** 0.040 inches transversely through face **Special Features:** Mtg holes centered 0.125 in. From gear face, 90 degrees apart Material: Aluminum alloy 2024 **Material Specification:** Qq-a-225/6, t4 federal specification single material response **Surface Treatment:** Anodize body **Surface Treatment Specification:** Mil-a-8625, type 1 military specification single treatment response body **Style Designator:** Hubless **Furnished Items And Quantity:** 

1 setscrew

## NSN 3020-01-030-2470

Spur Gear - Page 2 of 2



Shelf	Life:
N/a	

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.