## NSN 3020-01-033-7833

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-033-7833

Body Style:			
Plain, solid			
Attachment Method:			
Mounting hole			
Pitch Diameter:			
2.9167 inches			
Teeth Quantity:			
140			
Bore Style:			
Plain both ends			
Mounting Hole Thread Series Designator:			
Unc transversely through hub, first end			
Mounting Hole Thready Qty Per Inch (tpi):			
40 transversely through hub, first end			
Mounting Hole Thread Size:			
0.112 inches transversely through hub, first end			
Mounting Hole Type And Quantity:			
1 threaded transversely through hub, first end			
Outside Diameter:			
2.295 inches			
Nominallength:			
0.375 inches			
Tooth Form:			
Standard			
Pressure Angle:			
20.0000 degrees			
Distance Between Body Face And Protruding Hub End:			
0.250 inches first end			
Face Width:			
0.125 inches			
Bore Diameter:			
0.250 inches both ends			
Hub Style Designator:			
Pinned first end			
Hub Diameter:			
0.437 inches first end			
Material:			
Aluminum alloy 2024			
Material Specification:			
Qq-a-250/4 t351 federal specification single material response			
Surface Treatment:			

Anodize

## NSN 3020-01-033-7833

Spur Gear - Page 2 of 2



Surface	Treatment	Specification:
Juliace	HEAUHEIL	opecilication.

Mil-a-8625, type 2, class 1 military specification single treatment response

**Style Designator:** 

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.