NSN 3020-01-033-8740

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-033-8740

Body Style:

Webbed, offset, solid

Attachment Method:

Mounting hole

Pitch Diameter:

0.9133 inches

Teeth Quantity:

90

Bore Style:

W/counterbore both ends

Mounting Hole Thread Series Designator:

Unc transversely through hub, first end

Mounting Hole Thready Qty Per Inch (tpi):

56 transversely through hub, first end

Mounting Hole Type And Quantity:

1 threaded transversely through hub, first end

Outside Diameter:

0.958 inches

Nominallength:

0.281 inches

Tooth Form:

Standard

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.125 inches first end

Face Width:

0.062 inches

Bore Diameter:

0.090 inches both ends

Hub Diameter:

0.312 inches first end

Precision Classification:

Quality number 10

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-225/8, t6 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 1, class 1 military specification single treatment response

NSN 3020-01-033-8740

Spur Gear - Page 2 of 2

Style Designator:

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.

