## NSN 3020-01-035-9816

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-035-9816 **Attachment Method:** Clamp Pitch Diameter: Between 2.6712 inches and 2.6719 inches **Teeth Quantity:** 171 **Bore Style:** Plain both ends **Outside Diameter:** 2.702 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.281 inches first end **Face Width:** 0.104 inches **Bore Diameter:** 0.250 inches both ends **Hub Style Designator:** Split first end **Hub Diameter:** 0.312 inches first end **Clamping Surface Length:** 0.250 inches first end **Precision Classification:** Quality number 12 Material: Steel comp 303 **Material Specification:** Qq-s-764, type 303 federal specification single material response **Surface Treatment:** Passivate hub **Surface Treatment Specification:** Qq-p-35, type 1 federal specification single treatment response **Style Designator:** Protruding hub Shelf Life:

N/a

**Unit Of Measure:** 

## NSN 3020-01-035-9816

Spur Antibacklash Gear - Page 2 of 2



Demilitarization:

No

Fiig:

A27300