NSN 3020-01-037-7328



Sprocket Wheel - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-037-7328 **Outside Diameter:** 0.758 inches **Overall Length:** 1.375 inches **Thread Size:** 6-32nc-2b Pitch Diameter: 0.697 inches **Securing Hole Quantity: Furnished Items And Quantity:** Setscrew 2 ea **Face Width:** 1.030 inches **Design Form:** Plain **Hole Location:** On hub face **Securing Method:** Threaded hole **Lightening Hole:** Not included **Protruding Hub Characteristic:** Plain **Securing Location:** Aa end Belt/chain/film Size For Which Designed: 8 millimeter film **Teeth Row Quantity: Teeth Quantity Per Row: Hardness Rating Test Method:** Not rated **Bore Bearing:** Not included **Hub External Keyway:**

Not included **Tooth Pitch:** 0.100 inches **Hub End Outside Diameter And Location:** 0.450 inches aa end

NSN 3020-01-037-7328 Sprocket Wheel - Page 2 of 2

Fiig: T353-c



Distance From Outside Flange/rim To Hub End And Location:
0.345 inches aa end
Special Features:
Pins shall be equally spaced within 0.001 in.
Material:
Aluminum alloy, qq-a-200/3, alloy 2024, t4
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-200/3, alloy 2024, t4 federal specification single material response
Surface Treatment:
Nickel
Style Designator:
Plain
Surface Treatment:
Nickel plated, mil-n-26074, class 1
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No