NSN 3020-01-039-3833



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-039-3833 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.3125 inches **Teeth Quantity:** 20 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through flange Mounting Hole Thready Qty Per Inch (tpi): 48 transversely through flange **Mounting Hole Thread Size:** 0.099 inches transversely through flange **Mounting Hole Type And Quantity:** 2 threaded transversely through flange **Outside Diameter:** 0.344 inches **Tooth Form:** Standard Flange Diameter: 0.343 inches **Pressure Angle:** 20.0000 degrees Flange Thickness: 0.125 inches **Face Width:** 0.062 inches **Bore Diameter:** 0.125 inches both ends **Distance Between Outer Body Face And Inner Flange Face:** 0.0937 inches **Hub Diameter:** 0.265 inches between body and flange **Special Features:** Mtg holes 90 degrees apart Material: Copper alloy

Flanged end

Style Designator:

NSN 3020-01-039-3833

Spur Gear - Page 2 of 2



urnished	Items	And	Quantity:
----------	-------	-----	-----------

2 setscrew

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A27300