## NSN 3020-01-041-4518

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-041-4518

Body Style:
Plain, with lightening holes
Attachment Method:
Mounting hole
End Application:
E3a acft
Pitch Diameter:
1.1112 inches
Teeth Quantity:
80
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
56 transversely through hub, first end
Mounting Hole Thread Size:
0.086 inches transversely through hub, first end
Mounting Hole Type And Quantity:
4 threaded transversely through hub, first end
Nominallength:
0.250 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.156 inches first end
Face Width:
0.094 inches
Bore Diameter:
0.500 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
0.625 inches first end
Precision Classification:
Quality number 9
Special Features:
8 lightening holes 0.125 in. Diameter spaced at 45 degrees porm 1 degrees on 0.812 in. Bolt circle
Material:

Aluminum alloy 7075

## NSN 3020-01-041-4518

Spur Gear - Page 2 of 2



М	ater	ial	Sp	ecifi	icati	on:

Qq-a-225/9, t6 federal specification single material response

**Style Designator:** 

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

No

Fiig:

A27300