NSN 3020-01-042-8029

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-042-8029 **Attachment Method:** Mounting hole Pitch Diameter: 1.5000 inches **Teeth Quantity:** 120 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc axially through hub, first end **Mounting Hole Thread Size:** 0.138 inches axially through hub, first end **Mounting Hole Type And Quantity:** 1 threaded axially through hub, first end **Outside Diameter:** 1.524 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.281 inches first end Face Width: 0.104 inches **Bore Diameter:** 0.250 inches both ends **Hub Style Designator:** 1 step first end **End Length:** 0.250 inches first end **Precision Classification:** Quality number 12 **End Diameter:** 0.500 inches first end First Step Length: 0.031 inches first end First Step Diameter: 0.688 inches first end Material:

Steel comp 303

Material Specification:

Qq-s-764, cond a federal specification single material response

NSN 3020-01-042-8029 Spur Antibacklash Gear - Page 2 of 2

Fiig: A27300

