## NSN 3020-01-042-9254

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-042-9254

_	
Body	Style:

Plain, solid

**Attachment Method:** 

Mounting hole

## Pitch Diameter:

0.3750 inches

## **Teeth Quantity:**

12

## Bore Style:

Plain both ends

## **Backlash Designation:**

Grade a

## Mounting Hole Type And Quantity:

2 plain transversely through hub, first end

#### Outside Diameter:

0.436 inches

## Tooth Form:

Standard

## Pressure Angle:

20.0000 degrees

## Distance Between Body Face And Protruding Hub End:

0.162 inches first end

## Face Width:

0.250 inches

### Bore Diameter:

0.187 inches both ends

#### Hub Style Designator:

Plain first end

#### Hub Diameter:

0.280 inches first end

#### **Precision Classification:**

Quality number 8

## Mounting Hole Diameter:

0.070 inches transversely through hub, first end

#### Material:

Stainless steel

## Surface Treatment:

Passivate

## Surface Treatment Specification:

Mil-s-5002 military specification single treatment response

## Style Designator:

Protruding hub

# NSN 3020-01-042-9254

Spur Gear - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300

## Mil-std (military Standard):

Mil-s-5002 spec.

