

View Online at <https://aerobasegroup.com/nsn/3020-01-044-7968>

**Groove Depth:**

0.625 inches

**Groove Width:**

0.688 inches

**Outside Diameter:**

1.750 inches

**Overall Length:**

10.815 inches

**Groove Radius:**

0.344 inches

**Material And Location:**

Copper-beryllium alloy, qq-c-530, cond a or h

**Face Width:**

6.625 inches

**Design Form:**

Plain

**Groove Quantity:**

5

**Securing Method:**

Key

**Split Hub Feature:**

Not included

**Lightening Hole:**

Not included

**Integral Cooling Vane:**

Not included

**Groove Shape:**

U

**Bore Feature:**

Not included

**Protruding Hub Characteristic:**

Plain

**Securing Location:**

Aa end

**Hub End Outside Diameter And Location:**

0.984 inches aa end and 1.000 inches aa end and 0.621 inches bb end

**Distance From Outside Flange/rim To Hub End And Location:**

4.190 inches aa end and 0.406 inches bb end

**Special Features:**

31/32-32 thd 1/2 in. Lg at extreme end of shaft first end, two keyways 90 degrees apart, one woodruff 1/4 in. W, 0.315 in. Deep, @one straight 3/16 in. W, 3/32 in. Deep 11/16 in. Lg, 1 1/16 in. And 11/16 in. From first end respectively, 12 tooth, 12 pitch helical gear 20 degrees pressure angle, 19 degrees 45 @min lh helix adjoining first pulley groove at first end

**Style Designator:**

Plain

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T353-a