NSN 3020-01-045-3969

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-045-3969

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
1.9000 inches
Teeth Quantity:
19
Bore Style:
10a w/ keyway both ends
Mounting Hole Thread Series Designator:
Unf transversely through face
Mounting Hole Thready Qty Per Inch (tpi):
32 transversely through face
Mounting Hole Thread Size:
0.190 inches transversely through face
Mounting Hole Type And Quantity:
2 threaded transversely through face
Outside Diameter:
2.100 inches
Tooth Form:
Standard
Pressure Angle:
14.5000 degrees
Distance Between Body Face And Protruding Hub End:
0.625 inches first end
Face Width:
1.000 inches
Bore Diameter:
1.000 inches both ends
Keyway Width:
0.251 inches both ends
Distance From Bore Center To Keyway Bottom:
0.560 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
1.500 inches first end
Special Features:
Mtg holes spaced 90 degrees apart, one hole located on top of keyway
Material:
Copper alloy

NSN 3020-01-045-3969

Spur Gear - Page 2 of 2



M	late	rial	Sp	ecif	icat	ion:
			~	••••		. •

Qq-n-286, class a federal specification single material response

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A27300