NSN 3020-01-047-5419

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-047-5419

Body Style:
Plain, solid
Pitch Diameter:
6.6666 inches
Teeth Quantity:
20
Bore Style:
10a w/ keyway both ends
Hardness Rating:
32.0 rockwell c and 35.0 rockwell c
Outside Diameter:
7.333 inches
Nominallength:
3.500 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
1.500 inches first end
Face Width:
2.000 inches
Bore Diameter:
3.375 inches both ends
Keyway Width:
0.870 inches both ends
Distance From Bore Center To Keyway Bottom:
2.124 inches both ends
Hub Style Designator:
Pinned first end
Hub Diameter:
5.750 inches first end
Material:
Steel comp 4150
Material Specification:
Fed standard 66 federal standard single material response
Surface Treatment:
Phosphate manganese
Surface Treatment Specification:
Mil-p-16232 type m, class 2 military specification single treatment response
Style Designator:

Protruding hub

NSN 3020-01-047-5419

Spur Gear - Page 2 of 2



N/a
Unit Of Measure:
Demilitarization:
Nie
No
Fiig:

Shelf Life:

Mil-std (military Standard):

Mil-p-16232 spec.