## NSN 3020-01-048-1283



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-048-1283 **Body Style:** Plain, solid Pitch Diameter: 1.6875 inches **Teeth Quantity:** 27 **Bore Style:** 10a w/ keyway both ends **Backlash Designation:** Grade b **Outside Diameter:** 1.811 inches Nominallength: 1.374 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.359 inches first end Face Width: 0.875 inches **Bore Diameter:** 0.750 inches both ends **Keyway Width:** 0.186 inches both ends **Distance From Bore Center To Keyway Bottom:** 0.458 inches both ends **Hub Style Designator:** Plain both ends **Hub Diameter:** 1.313 inches first end **Precision Classification:** Quality number 9 Material: Steel comp 4620 **Material Specification:** Mil-s-7493, comp 4620 military specification single material response **Style Designator:** Protruding hubs

Shelf Life: N/a

## NSN 3020-01-048-1283

Spur Gear - Page 2 of 2



Init	<i>(</i> )+	Measure:

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7493 spec.