NSN 3020-01-048-1283

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-048-1283

Body Style:

Plain, solid

Pitch Diameter:

1.6875 inches

Teeth Quantity:

27

Bore Style:

10a w/ keyway both ends

Backlash Designation:

Grade b

Outside Diameter:

1.811 inches

Nominallength:

1.374 inches

Tooth Form:

Standard

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.359 inches first end

Face Width:

0.875 inches

Bore Diameter:

0.750 inches both ends

Keyway Width:

0.186 inches both ends

Distance From Bore Center To Keyway Bottom:

0.458 inches both ends

Hub Style Designator:

Plain both ends

Hub Diameter:

1.313 inches first end

Precision Classification:

Quality number 9

Material:

Steel comp 4620

Material Specification:

Mil-s-7493, comp 4620 military specification single material response

Style Designator:

Protruding hubs

Shelf Life:

N/a

NSN 3020-01-048-1283

Spur Gear - Page 2 of 2



Unit Of Measure:

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7493 spec.