## NSN 3020-01-054-1772



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-054-1772 **Body Style:** Webbed, offset, with lightening holes **Spline Quantity:** 20 both ends **Attachment Method:** Mounting hole Pitch Diameter: 3.6000 inches **Teeth Quantity:** 36 **Mounting Hole Thread Series Designator:** Unf axially through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 28 axially through hub, first end **Mounting Hole Thread Size:** 0.250 inches axially through hub, first end **Mounting Hole Type And Quantity:** 3 plain axially through hub, first end **Outside Diameter:** 3.795 inches Nominallength: 2.200 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.950 inches first end **Face Width:** 0.510 inches **Bore Diameter:** 1.095 inches both ends **Counterbore Depth:** 0.887 inches first end **Counterbore Diameter:** 1.130 inches first end **Hub Style Designator:** 1 step both ends

End Length:

0.570 inches second end

**End Diameter:** 

1.377 inches second end

## NSN 3020-01-054-1772

Spur Gear - Page 2 of 2



First Step Diameter:
1.580 inches first end
Second Step Length:
0.290 inches first end
Second Step Diameter:
1.662 inches first end
Mounting Hole Diameter:
0.186 inches axially through hub, first end
Style Designator:
Protruding hubs
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A27300