NSN 3020-01-054-1772

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-054-1772

Body Style:

Webbed, offset, with lightening holes

Spline Quantity:

20 both ends

Attachment Method:

Mounting hole

Pitch Diameter:

3.6000 inches

Teeth Quantity:

36

Mounting Hole Thread Series Designator:

Unf axially through hub, first end

Mounting Hole Thready Qty Per Inch (tpi):

28 axially through hub, first end

Mounting Hole Thread Size:

0.250 inches axially through hub, first end

Mounting Hole Type And Quantity:

3 plain axially through hub, first end

Outside Diameter:

3.795 inches

Nominallength:

2.200 inches

Tooth Form:

Standard

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.950 inches first end

Face Width:

0.510 inches

Bore Diameter:

1.095 inches both ends

Counterbore Depth:

0.887 inches first end

Counterbore Diameter:

1.130 inches first end

Hub Style Designator:

1 step both ends

End Length:

0.570 inches second end

End Diameter:

1.377 inches second end

NSN 3020-01-054-1772

Spur Gear - Page 2 of 2



First Step Diameter:

1.580 inches first end

Second Step Length:

0.290 inches first end

Second Step Diameter:

1.662 inches first end

Mounting Hole Diameter:

0.186 inches axially through hub, first end

Style Designator:

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300