NSN 3020-01-058-7933

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-058-7933

Body Style:

Webbed, solid

Attachment Method:

Mounting hole

Pitch Diameter:

0.5208 inches

Teeth Quantity:

50

Backlash Designation:

Grade c

Mounting Hole Type And Quantity:

2 countersunk axially through body, first end

Outside Diameter:

0.541 inches

Tooth Form:

Standard

Pressure Angle:

20.0000 degrees

Body Recess Depth:

0.125 inches first end

Face Width:

0.250 inches

Precision Classification:

Quality number 10

Mounting Hole Diameter:

0.116 inches axially through body, first end

Bolt Hole Circle Diameter:

0.188 inches axially through body, first end

Material:

Steel comp 303

Material Specification:

Qq-s-764, cond a federal specification single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-std-171, finish no. 5.4.1 military standard single treatment response

Style Designator:

Hubless, recessed body

Shelf Life:

N/a

Unit Of Measure:

--

NSN 3020-01-058-7933

Spur Gear - Page 2 of 2

AeroBase Group

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-std-171 spec.