NSN 3020-01-068-6533

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-068-6533

Body Style: Plain, solid **Attachment Method:** Mounting hole **Pitch Diameter:** 0.7292 inches **Teeth Quantity:** 70 **Bore Style:** Plain both ends Mounting Hole Thread Series Designator: Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 56 transversely through hub, first end Mounting Hole Thread Size: 0.086 inches transversely through hub, first end Mounting Hole Type And Quantity: 2 threaded transversely through hub, first end **Outside Diameter:** 0.750 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.126 inches first end Face Width: 0.062 inches **Bore Diameter:** 0.125 inches both ends Hub Style Designator: Plain first end **Hub Diameter:** 0.250 inches first end **Precision Classification:** Quality number 10 or quality number 11 Material: Aluminum alloy Style Designator: Protruding hub Shelf Life: N/a

NSN 3020-01-068-6533

Spur Gear - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300

