NSN 3020-01-070-0345

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-070-0345

| Attachment | Method: |
|------------|---------|

Clamp

Pitch Diameter:

0.6250 inches

Teeth Quantity:

60

Bore Style:

Plain both ends

Outside Diameter:

0.6410 inches

Tooth Form:

Standard

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.297 inches first end

Face Width:

0.100 inches

Bore Diameter:

0.125 inches both ends

Hub Style Designator:

Split first end

Hub Diameter:

0.188 inches first end

Clamping Surface Length:

0.172 inches first end

Precision Classification:

Quality number 10

Material:

Steel

Material Specification:

Qq-s-763 federal specification single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-std-171, finish no. 5.4.1 military specification single treatment response

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

NSN 3020-01-070-0345

Spur Antibacklash Gear - Page 2 of 2



Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-std-171 spec.