NSN 3020-01-070-7909



Spur Antibacklash Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-070-7909 **Attachment Method:** Mounting hole Pitch Diameter: 1.2500 inches **Teeth Quantity:** 60 **Bore Style:** Plain both ends **Backlash Designation:** Grade e **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 1.2916 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.250 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.090 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.375 inches first end **Precision Classification:** Quality number 10 Material: Stainless steel **Surface Treatment: Passivate Surface Treatment Specification:** Qq-p-35 federal specification single treatment response

Style Designator:

Protruding hub

NSN 3020-01-070-7909

Spur Antibacklash Gear - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300