NSN 3020-01-072-3615

Spur Gear - Page 1 of 2

Body Style:
Plain, solid
Pitch Diameter:



View Online at https://aerobasegroup.com/nsn/3020-01-072-3615

2.0313 inches
Teeth Quantity:
65
Bore Style:
10a w/ keyway both ends
Outside Diameter:
2.094 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.450 inches first end
Face Width:
0.175 inches
Bore Diameter:
0.313 inches both ends
Keyway Width:
0.094 inches both ends
Distance From Bore Center To Keyway Bottom:
0.203 inches both ends
Hub Style Designator:
1 step first end
End Length:
0.325 inches first end
Precision Classification:
Quality number 8
End Diameter:
0.500 inches first end
First Step Length:
0.125 inches first end
First Step Diameter:
0.690 inches first end
Material:
Aluminum alloy
Surface Treatment:
Anodize

Mil-a-8625, type 1, class 1 military specification single treatment response

Surface Treatment Specification:

NSN 3020-01-072-3615

Spur Gear - Page 2 of 2



Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Demilitarization: No

Mil-std (military Standard):

Mil-a-8625 spec.