## NSN 3020-01-073-1158

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-073-1158 **Attachment Method:** Clamp Pitch Diameter: 1.6667 inches **Teeth Quantity:** 80 **Bore Style:** Plain both ends **Outside Diameter:** 1.7080 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.281 inches first end **Face Width:** 0.104 inches **Bore Diameter:** 0.125 inches both ends **Hub Style Designator:** Split first end **Hub Diameter:** 0.188 inches first end **Precision Classification:** Quality number 10 Material: Steel hub **Material Specification:** Qq-s-764 federal specification single material response hub **Surface Treatment:** Passivate hub **Surface Treatment Specification:** Mil-std-171, finish no. 5.4.1 military specification single treatment response hub **Style Designator:** Protruding hub Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 3020-01-073-1158

Spur Antibacklash Gear - Page 2 of 2



Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.