## NSN 3020-01-078-3708

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-078-3708 **Body Style:** Plain, solid **Pitch Diameter:** Between 0.4995 inches and 0.5000 inches **Teeth Quantity:** 40 **Bore Style:** Plain both ends **Outside Diameter:** 0.525 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.187 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.125 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 0.312 inches first end **Precision Classification:** Quality number 14 **Special Features:** Mtg holes 90 degs apart Material: Steel comp 303 **Material Specification:** Qq-s-764, type 303 federal specification single material response **Surface Treatment: Passivate Surface Treatment Specification:** Mil-std-171, finish no. 5.4.1 military standard single treatment response **Style Designator:** Protruding hub **Furnished Items And Quantity:** 

1 setscrew Shelf Life:

N/a

## NSN 3020-01-078-3708

Spur Gear - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-std-171 spec.