NSN 3020-01-079-1879



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-079-1879 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 2.3437 inches **Teeth Quantity:** 225 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 32 transversely through hub, first end **Mounting Hole Thread Size:** 0.138 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 2.3645 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.250 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.250 inches both ends **Hub Style Designator:** 1 step first end **End Length:** 0.188 inches first end **End Diameter:** 0.500 inches first end First Step Length: 0.063 inches first end First Step Diameter:

0.875 inches first end **Special Features:**

Gear readout tape required

NSN 3020-01-079-1879

Spur Gear - Page 2 of 2



Material:
Stainless steel hub
Surface Treatment:
Passivate hub
Style Designator:
Protruding hub
Furnished Items And Quantity:
1 setscrew
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A27300