NSN 3020-01-082-6538

Helical Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-082-6538

Body Style:
Webbed, solid
Spline Quantity:
41 both ends
Pitch Diameter:
6.5000 inches
Teeth Quantity:
31
Bore Style:
Involute spline both ends
Spline Pitch Diameter:
2.0500 inches both ends
Features Provided:
Casehardened
Outside Diameter:
6.8250 inches
Teeth Type:
Single helix
Tooth Form:
Special
Tooth Direction:
Right
Night
Pressure Angle:
·
Pressure Angle:
Pressure Angle: 20.0000 degrees
Pressure Angle: 20.0000 degrees Helix Angle:
Pressure Angle: 20.0000 degrees Helix Angle: 25.0000 degrees
Pressure Angle: 20.0000 degrees Helix Angle: 25.0000 degrees Distance Between Body Face And Recessed Hub End:
Pressure Angle: 20.0000 degrees Helix Angle: 25.0000 degrees Distance Between Body Face And Recessed Hub End: 0.156 inches second end
Pressure Angle: 20.0000 degrees Helix Angle: 25.0000 degrees Distance Between Body Face And Recessed Hub End: 0.156 inches second end Face Width:
Pressure Angle: 20.0000 degrees Helix Angle: 25.0000 degrees Distance Between Body Face And Recessed Hub End: 0.156 inches second end Face Width: 2.281 inches
Pressure Angle: 20.0000 degrees Helix Angle: 25.0000 degrees Distance Between Body Face And Recessed Hub End: 0.156 inches second end Face Width: 2.281 inches Bore Diameter:
Pressure Angle: 20.0000 degrees Helix Angle: 25.0000 degrees Distance Between Body Face And Recessed Hub End: 0.156 inches second end Face Width: 2.281 inches Bore Diameter: 2.100 inches both ends
Pressure Angle: 20.0000 degrees Helix Angle: 25.0000 degrees Distance Between Body Face And Recessed Hub End: 0.156 inches second end Face Width: 2.281 inches Bore Diameter: 2.100 inches both ends Hub Style Designator:
Pressure Angle: 20.0000 degrees Helix Angle: 25.0000 degrees Distance Between Body Face And Recessed Hub End: 0.156 inches second end Face Width: 2.281 inches Bore Diameter: 2.100 inches both ends Hub Style Designator: Plain both ends
Pressure Angle: 20.0000 degrees Helix Angle: 25.0000 degrees Distance Between Body Face And Recessed Hub End: 0.156 inches second end Face Width: 2.281 inches Bore Diameter: 2.100 inches both ends Hub Style Designator: Plain both ends Hub Diameter:
Pressure Angle: 20.0000 degrees Helix Angle: 25.0000 degrees Distance Between Body Face And Recessed Hub End: 0.156 inches second end Face Width: 2.281 inches Bore Diameter: 2.100 inches both ends Hub Style Designator: Plain both ends Hub Diameter: 2.844 inches second end
Pressure Angle: 20.0000 degrees Helix Angle: 25.0000 degrees Distance Between Body Face And Recessed Hub End: 0.156 inches second end Face Width: 2.281 inches Bore Diameter: 2.100 inches both ends Hub Style Designator: Plain both ends Hub Diameter: 2.844 inches second end Special Features:
Pressure Angle: 20.0000 degrees Helix Angle: 25.0000 degrees Distance Between Body Face And Recessed Hub End: 0.156 inches second end Face Width: 2.281 inches Bore Diameter: 2.100 inches both ends Hub Style Designator: Plain both ends Hub Diameter: 2.844 inches second end Special Features: Counterbore second end, dia. 2.125 in., depth 0.625 in.
Pressure Angle: 20.0000 degrees Helix Angle: 25.0000 degrees Distance Between Body Face And Recessed Hub End: 0.156 inches second end Face Width: 2.281 inches Bore Diameter: 2.100 inches both ends Hub Style Designator: Plain both ends Hub Diameter: 2.844 inches second end Special Features: Counterbore second end, dia. 2.125 in., depth 0.625 in. Material:

NSN 3020-01-082-6538

Helical Gear - Page 2 of 2



_			-		
C	hο	14		.ife	
•			_	.II C	-

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300