## NSN 3020-01-083-0984

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-083-0984

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
0.5417 inches
Teeth Quantity:
52
Bore Style:
W/counterbore counter bore, second end
Mounting Hole Thread Series Designator:
Unc axially through flange
Mounting Hole Thready Qty Per Inch (tpi):
56 axially through flange
Mounting Hole Thread Size:
0.086 inches axially through flange
Mounting Hole Type And Quantity:
3 threaded axially through flange
Outside Diameter:
0.563 inches
Tooth Form:
Standard
Flange Diameter:
1.062 inches
Pilot Length:
0.052 inches
Pressure Angle:
20.0000 degrees
Flange Thickness:
0.042 inches
Face Width:
0.219 inches
Bore Diameter:
0.3125 inches counter bore, second end
Distance Between Outer Body Face And Inner Flange Face:
0.2656 inches
Counterbore Depth:
0.0312 inches counter bore, second end
Counterbore Diameter:
0.375 inches counter bore, second end
Hub Diameter:
0.500 inches between body and flange

## NSN 3020-01-083-0984

Spur Gear - Page 2 of 2



Pilot Diameter:
0.7812 inches
<b>Bolt Hole Circle Diameter:</b>
0.656 inches axially through flange
Material:
Stainless steel
Surface Treatment:
Passivate
Style Designator:
Flanged end with pilot
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A27300