NSN 3020-01-085-0359

Spur Gear - Page 1 of 2

Body Style:

Webbed, offset, solid

0.156 inches second end



View Online at https://aerobasegroup.com/nsn/3020-01-085-0359

Attachment Method:
Mounting hole
Pitch Diameter:
4.6200 inches
Teeth Quantity:
228
Bore Style:
10a w/ keyway both ends
Mounting Hole Type And Quantity:
3 plain transversely through face
Outside Diameter:
4.791 inches
Nominallength:
0.790 inches
Tooth Form:
Stub
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.015 inches second end
Face Width:
0.750 inches
Bore Diameter:
0.629 inches both ends
Keyway Width:
0.127 inches both ends
Distance From Bore Center To Keyway Bottom:
0.285 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
1.375 inches first end
End Length:
0.156 inches second end
Precision Classification:
Quality number 10 or quality number 11
End Diameter:
0.624 inches second end
First Step Length:

NSN 3020-01-085-0359

Spur Gear - Page 2 of 2

A27300



First Step Diameter:
1.880 inches second end
Second Step Diameter:
0.225 inches second end
Mounting Hole Diameter:
0.250 inches transversely through face
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-225/6, t4 federal specification single material response
Style Designator:
Protruding hubs
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: