NSN 3020-01-085-2891

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-085-2891

Attachment Method:
Mounting hole
Pitch Diameter:
2.0630 inches
Teeth Quantity:
130
Bore Style:
Plain both ends
Mounting Hole Type And Quantity:
2 plain transversely through face
Outside Diameter:
2.0312 inches
Nominallength:
0.385 inches
Tooth Form:
Stub
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.160 inches first end
Face Width:
0.104 inches
Bore Diameter:
0.120 inches both ends
Hub Style Designator:
Split first end
Hub Diameter:
0.188 inches first end
Clamping Surface Length:
0.188 inches first end
Precision Classification:
Quality number 12
Mounting Hole Diameter:
0.032 inches transversely through face
Material:
Steel comp 303 hub and aluminum alloy 2024 hub
Material Specification:
Qq-s-763, cl 303 federal specification 1st material response hub and qq-a-250/4 federal specification 2nd material response hub
Surface Treatment:
Passivate hub

Surface Treatment Specification:
171, finish no. 5.4.1 military standard single treatment response hub

NSN 3020-01-085-2891

Spur Antibacklash Gear - Page 2 of 2



Style Designator:
Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300