## NSN 3020-01-087-6714

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-087-6714

Body Style:
Plain, solid

Attachment Method:
Clamp

Pitch Diameter:
Between 0.8740 inches and 0.8750 inches

Teeth Quantity:

84

Bore Style:

Plain both ends

Outside Diameter:

0.895 inches

Standard

Pressure Angle:
20.0000 degrees

**Tooth Form:** 

**Distance Between Body Face And Protruding Hub End:** 

0.281 inches first end

Face Width:

0.125 inches

**Bore Diameter:** 

0.125 inches both ends

**Hub Style Designator:** 

Split first end

**Hub Diameter:** 

0.187 inches first end

**Clamping Surface Length:** 

0.250 inches first end

Material:

Aluminum alloy 2024

**Material Specification:** 

Qq-a-225/6, t4 federal specification single material response

**Surface Treatment:** 

Anodize hub

**Surface Treatment Specification:** 

Mil-a-8625, type 1 military specification all treatment responses hub

Style Designator:

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

## NSN 3020-01-087-6714

Spur Gear - Page 2 of 2



_					
11	em)	 tor	172	n	

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.