## NSN 3020-01-088-1012

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-088-1012

Body Style:

Plain, solid

**Attachment Method:** 

Clamp

**Pitch Diameter:** 

0.8750 inches

**Teeth Quantity:** 

84

Bore Style:

Plain both ends

Outside Diameter:

0.896 inches

Tooth Form:

Standard

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.281 inches first end

Face Width:

0.125 inches

Bore Diameter:

0.125 inches first end

Hub Style Designator:

Split first end

Hub Diameter:

0.188 inches first end

**Clamping Surface Length:** 

0.250 inches first end

**Precision Classification:** 

Quality number 10

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-225/6, t4 federal specification single material response

Surface Treatment:

Anodize hub

Surface Treatment Specification:

Mil-a-8625, type 1 military specification single treatment response hub

Style Designator:

Protruding hub

Shelf Life:

N/a

## NSN 3020-01-088-1012

Spur Gear - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.

