## NSN 3020-01-088-9773

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-088-9773

Body Style:
Plain, solid
Attachment Method:
Clamp
Pitch Diameter:
Between 0.6243 inches and 0.6250 inches
Teeth Quantity:
60
Bore Style:
Plain both ends
Outside Diameter:
0.645 inches
Nominallength:
0.406 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.281 inches first end
Face Width:
0.125 inches
Bore Diameter:
0.241 inches both ends
Hub Style Designator:
1 step first end
End Length:
0.250 inches first end
Precision Classification:
Quality number 12
End Diameter:
0.310 inches first end
First Step Length:
0.031 inches first end
First Step Diameter:
0.375 inches first end
Material:
Steel comp 303
Material Specification:
Qq-s-764, type 303, cond a federal specification single material response
Surface Treatment:
Passivate

## NSN 3020-01-088-9773

Spur Gear - Page 2 of 2



Surface Treatment Spec	ific	ation:
------------------------	------	--------

Qq-p-35, type 1 federal specification single treatment response

**Style Designator:** 

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300