NSN 3020-01-094-3113



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-094-3113 **Body Style:** Plain, solid **Attachment Method:** Clamp and mounting hole **End Application:** Wsr-74c radar, lwr Pitch Diameter: Between 1.4990 inches and 1.5000 inches **Teeth Quantity:** 48 **Backlash Designation:** Grade e **Mounting Hole Type And Quantity:** 1 plain transversely through hub, first end Nominallength: 0.406 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.281 inches first end Face Width: 0.125 inches **Hub Diameter:** 0.311 inches first end **Clamping Surface Length:** 0.250 inches first end **Precision Classification:** Quality number 10 Material: Steel comp 303 **Material Specification:** Qq-s-764, type 303, cond a federal specification single material response **Surface Treatment: Passivate Surface Treatment Specification:** Qq-p-35, type 1 federal specification single treatment response **Style Designator:** Protruding hub Shelf Life:

N/a

NSN 3020-01-094-3113 Spur Gear - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МА	261	ıre:

Demilitarization:

No

Fiig:

A27300