NSN 3020-01-101-4664

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-101-4664

Body Style: Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.6250 inches **Teeth Quantity:** 60 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 56 transversely through hub, first end **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 2 threaded transversely through hub, first end **Outside Diameter:** 0.646 inches Nominallength: 0.2600 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.170 inches first end **Face Width:** 0.0900 inches **Hub Style Designator:** Pinned first end **Hub Diameter:** 0.310 inches first end Material: Steel comp 303 **Material Specification:** Qq-s-764, type 303, cond a federal specification single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-std-171, finish no. 5.4.1 military standard single treatment response

NSN 3020-01-101-4664

Spur Gear - Page 2 of 2



Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Demilitarization: No

Mil-std (military Standard):

Mil-std-171 spec.