

View Online at <https://aerobasegroup.com/nsn/3020-01-105-9139>

Counterbore Diameter:

1.062 inches

Counterbore Depth:

0.255 inches

Groove Depth:

0.534 inches

Groove Width:

0.156 inches

Outside Diameter:

4.750 inches

Overall Length:

1.500 inches

Thread Size:

1/4-28 and 5/16-24

Bore Diameter:

0.924 inches

Bore Length:

1.500 inches

Groove Radius:

0.052 inches

Securing Hole Quantity:

1 and 1 and 2

Material And Location:

Aluminum alloy, qq-a-601, alloy 356, t6

Face Width:

0.500 inches

Design Form:

Plain

Bore Type:

Straight

Bearings:

Not included

Groove Quantity:

1

Counterbore Feature:

Included

Counterbore Location:

Aa end

Hole Location:

Drilled hole 160 degrees from centerline; slotted hole 136 degrees from centerline; thd hole 30 degrees from centerline; thd hole 80 degrees from centerline

Keying Facility:

Not included

Securing Method:

Drilled hole and slotted and threaded hole

Split Hub Feature:

Not included

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

U

Bore Feature:

Included

Protruding Hub Characteristic:

Plain

Securing Location:

Aa end and pulley surface

Hub End Outside Diameter And Location:

1.380 inches aa end

Distance From Outside Flange/rim To Hub End And Location:

1.000 inches aa end

Special Features:

Attaching thd holes located in lugs

Style Designator:

Plain

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-a