## NSN 3020-01-106-4657

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-106-4657 **Body Style:** Webbed, offset, solid **Serration Quantity:** 36 both ends Pitch Diameter: 1.0000 inches **Teeth Quantity:** 24 **Bore Style:** Serrated both ends **Serration Pitch Diameter:** 0.3030 inches both ends **Hardness Rating:** 34.0 rockwell c and 38.0 rockwell c **Outside Diameter:** 1.083 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Body Recess Depth:** 0.109 inches first end **Face Width:** 0.266 inches **Precision Classification:** Quality number 8 Material: Steel **Material Specification:** Mil-s-6049, cond c, surface cond 4 military specification single material response **Surface Treatment:** Oxide **Surface Treatment Specification:** Mil-c-13924, class 2 military specification single treatment response **Style Designator:** Hubless, recessed body Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

Yes - demil/mli

## NSN 3020-01-106-4657

Spur Gear - Page 2 of 2



Fiig:

A27300

Mil-std (military Standard):

Mil-s-6049 spec.