NSN 3020-01-107-9027

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-107-9027

Body Style:
Plain, solid
Attachment Method:
Clamp
Pitch Diameter:
1.5000 inches
Teeth Quantity:
96
Bore Style:
Plain both ends
Criticality Code Justification:
Zzzy
Outside Diameter:
1.530 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.187 inches first end
Face Width:
0.312 inches
Bore Diameter:
0.188 inches both ends
Hub Style Designator:
1 step first end
End Length:
0.250 inches first end
Precision Classification:
Quality number 12
End Diameter:
0.249 inches first end
First Step Length:
0.022 inches first end
First Step Diameter:
0.375 inches first end
Special Features:
For navy nuclear propulsion plant products only
Material:
Steel comp 416
Material Specification:
0 - 700 - 1 440 (- 1 1 15 4

Qq-s-763, class416 federal specification single material response

NSN 3020-01-107-9027

Spur Gear - Page 2 of 2

Mil-std (military Standard):

Mil-f-14072 spec.



Surface Treatment:
Passivate
Surface Treatment Specification:
Mil-f-14072 military specification single treatment response
Style Designator:
Protruding hub
Reference Number Differentiating Characteristics:
As differentiated by free from mercury contamination
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A27300