

View Online at <https://aerobasegroup.com/nsn/3020-01-108-4178>

Outside Diameter:

4.982 inches

Overall Length:

2.000 inches

Keyway Width:

0.376 inches

Bore Diameter:

Between 1.625 inches and 1.627 inches

Bore Length:

2.000 inches

Distance From Center Of Bore To Bottom Of Keyway:

1.014 inches

Pitch Diameter:

4.610 inches

Face Width:

0.569 inches

Design Form:

Plain

Bore Type:

Straight

Metallic Hardness Rating And Location:

40.0 rockwell c body and 55.0 rockwell c body

Counterbore Feature:

Not included

Keying Facility:

Included

Keying Facility Type:

Keyway

Lightening Hole:

Not included

Protruding Hub Characteristic:

Stepped

Groove/step Location:

Both ends

Belt/chain/film Size For Which Designed:

Roller chain

Roller Chain Pitch Type For Which Designed:

Double pitch

Teeth Row Quantity:

1

Teeth Quantity Per Row:

14

Hardness Rating Test Method:

Rockwell

Teeth Hardness Rating:

Between 40.0 rockwell c and 55.0 rockwell c

Bore Bearing:

Not included

Hub External Keyway:

Not included

Tooth Pitch:

2.000 inches

First Step Face Largest Diameter And Location:

3.100 inches both ends

First Step Length And Location:

0.062 inches both ends

Second Step Length And Location:

0.656 inches aa end and 0.651 inches bb end

Hub End Outside Diameter And Location:

1.810 inches both ends

Material:

Steel, mil-s-7720

Material:

Steel comp 302 or steel comp 303 or steel comp 303se or steel comp 316

Material Specification:

Mil-s-7720 military specification single material response

Quantity:

1

Style Designator:

Plain

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-c

Mil-std (military Standard):

Mil-s-7720 spec.