NSN 3020-01-109-8163

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-109-8163

Body Style:

Plain, solid

Pitch Diameter:

0.6250 inches

Teeth Quantity:

60

Bore Style:

Plain both ends

Outside Diameter:

0.646 inches

Tooth Form:

Standard

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.141 inches first end

Face Width:

0.045 inches

Bore Diameter:

0.125 inches both ends

Hub Style Designator:

Pinned first end

Hub Diameter:

0.370 inches first end

Special Features:

Notch on gear body opposite side from hub 0.160 in. Lg 0.093 in. W located 0.200 in. Ctr to ctr distance from bore; end item position transmission

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-225/6, t4 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625 military specification single treatment response

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

NSN 3020-01-109-8163

Spur Gear - Page 2 of 2

Fiig: A27300 Mil-std (military Standard):

Mil-a-8625 spec.

