

View Online at <https://aerobasegroup.com/nsn/3020-01-112-1928>

Groove Depth:

0.490 inches

Groove Width:

0.490 inches

Outside Diameter:

5.250 inches

Bore Length:

0.875 inches

V Groove Angle In Deg:

34.0

Pitch Diameter:

Between 4.660 inches and 5.000 inches

Taper Bore Major Diameter:

1.625 inches

Taper Bore Minor Diameter:

1.562 inches

Material And Location:

Iron, cast

Face Width:

1.375 inches

Design Form:

Webbed

Bore Type:

Tapered

Bearings:

Not included

Taper Major Diameter Location:

Aa end

Groove Quantity:

2

Counterbore Feature:

Not included

Keying Facility:

Not included

Securing Method:

Split-tapered bushing

Split Hub Feature:

Not included

Web/spoke Relationship To Face Centerline:

Offset

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

V

Standard V-belt Section Designation For Which Designed:

3I and 4I and a

Bore Feature:

Included

Securing Location:

Aa end

Hub End Outside Diameter And Location:

3.125 inches both ends

Distance From Outside Flange/rim To Hub End And Location:

0.500 inches aa end

Special Features:

Both pulley faces painted red enamel

Surface Treatment:

Paint

Style Designator:

Webbed or spoked

Surface Treatment:

Painted

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-a