## NSN 3020-01-118-4024



Sprocket Wheel - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-118-4024 **Outside Diameter:** 3.190 inches **Overall Length:** 0.812 inches **Keyway Width:** 0.188 inches Thread Size: 0.250-20 **Bore Diameter:** 0.625 inches **Bore Length:** 0.812 inches **Distance From Center Of Bore To Bottom Of Keyway:** 0.375 inches Pitch Diameter: 2.992 inches **Securing Hole Quantity: Furnished Items And Quantity:** Setscrew, one each **Face Width:** 0.168 inches Design Form: Plain **Bore Type:** Straight **Counterbore Feature:** Not included **Hole Location:** Centered 0.312 in. From end of hub 90 degs from keyway **Keying Facility:** Included

**Keying Facility Type:** Keyway **Securing Method:** Threaded hole **Lightening Hole:** Not included **Protruding Hub Characteristic:** Plain Belt/chain/film Size For Which Designed: Roller chain

## **NSN 3020-01-118-4024** Sprocket Wheel - Page 2 of 2



Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:
25
Asa Standard Chain Number:
35
Hardness Rating Test Method:
Not rated
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.375 inches
Hub End Outside Diameter And Location:
2.562 inches aa end
Distance From Outside Flange/rim To Hub End And Location:
0.644 inches aa end
Material:
Steel, fed standard 66, aisi sae 1010 through 1030
Material:
Steel, fed standard 66, aisi sae 1010 through 1030
Quantity:
1
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c