## NSN 3020-01-118-5881



Internal Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-118-5881 **Body Style:** Plain, solid **Spline Quantity:** 24 both ends Pitch Diameter: 6.8330 inches **Teeth Quantity:** 41 **Bore Style:** Involute spline both ends **Spline Pitch Diameter:** 3.0000 inches both ends Hardness Rating: 58.0 rockwell c and 63.0 rockwell c **Outside Diameter:** 8.3750 inches Nominallength: 5.7500 inches **Teeth Type:** Spur **Tooth Form:** Standard Pressure Angle: 25.0000 degrees **Distance Between Body Face And Protruding Hub End:** 3.0940 inches first end **Face Width:** 1.7500 inches **Bore Diameter:** 3.1250 inches both ends **Hub Style Designator:** 3 steps first end **End Length:** 1.3050 inches first end **End Diameter:** 3.6200 inches first end First Step Length: 1.3800 inches first end First Step Diameter:

4.3293 inches first endSecond Step Length:0.0350 inches first end

## NSN 3020-01-118-5881

Internal Gear - Page 2 of 2



Second Step Diameter:
4.8800 inches first end
Third Step Length:
0.3740 inches first end
Third Step Diameter:
7.7550 inches first end
Material:
Steel comp 4620 and steel comp 8620
Material Specification:
66 federal standard single material response
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A27300