NSN 3020-01-120-3420

Spur Gear - Page 1 of 2

2.195 inches first end



View Online at https://aerobasegroup.com/nsn/3020-01-120-3420

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
2.2500 inches
Teeth Quantity:
72
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Hardness Rating:
28.0 rockwell c and 38.0 rockwell c
Mounting Hole Thread Size:
0.112 inches transversely through hub, first end
Mounting Hole Type And Quantity:
1 plain transversely through hub, first end and 1 threaded transversely through hub, first end
Outside Diameter:
2.312 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.047 inches second end
Face Width:
0.188 inches
Bore Diameter:
0.312 inches both ends
Hub Style Designator:
Plain second end
Hub Diameter:
0.375 inches second end
End Length:
0.203 inches first end
End Diameter:
0.562 inches first end
First Step Length:
0.812 inches first end
First Step Diameter:

NSN 3020-01-120-3420

Spur Gear - Page 2 of 2

A27300

Mil-std (military Standard):

Mil-std-171 spec.



Mounting Hole Diameter:
0.086 inches transversely through hub, first end
Material:
Steel comp 416
Material Specification:
Qq-s-764, cond h, canceled federal specification single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Mil-std-171, finish no.5.4.1 military standard single treatment response
Style Designator:
Protruding hubs
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: