NSN 3020-01-124-8144

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-124-8144 **Pitch Diameter:** Between 1.4990 inches and 1.50000 inches **Teeth Quantity:** 96 **Bore Style:** Plain both ends **Backlash Designation:** Grade c Hardness Rating: 75.0 rockwell b and 90.0 rockwell b **Outside Diameter:** 1.531 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.281 inches first end **Face Width:** 0.104 inches **Bore Diameter:** 0.125 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 0.310 inches first end **Precision Classification:** Quality number 10 Material: Steel comp 302 spring **Material Specification:** Qq-s-766 federal specification 4th material response spring **Surface Treatment: Passivate Surface Treatment Specification:** Qq-p-35, type 2 federal specification single treatment response **Style Designator:** Protruding hub **Furnished Items And Quantity:** 1 setscrew

N/a

Shelf Life:

NSN 3020-01-124-8144

Spur Antibacklash Gear - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A27300